

OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502.

[Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennai - TN ]

Date:23.06.2017

From DR.vijayaragavan Associate Professor and Head, Department of orthopaedics, SLIMS, Bharath Institute of Higher Education and Research, Pondicherry.

To The Dean, SLIMS, Bharath Institute of Higher Education and Research, Pondicherry.

#### Sub: Permission to conduct value-added course: Plaster of paris

Respected Sir,

With reference to the subject mentioned above, the department proposes to conduct a value-added course titled: **Plaster of Paris** on 17.07.2017. We solicit your kind permission for the same.

Kind Regards

DR.vijayaragavan



#### FOR THE USE OF DEANS OFFICE

Names of Committee members for evaluating the course:

The Dean:DR.Sugumaran

The Associate professor: dr.vijayaragavan

The Expert:Dr.Boblee james

The committee has discussed about the course and is approved.



Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011] [Affliated to Bharath University, Chennai - TN ]

.

Dean

CEAN Sri Laksimi Ranayemi institute et Medical Sciences Osatu, Agerern Kudopekoam, Ped. Villenur Commune Putucherry405 502.

Subject Expert

Department of Orthopantics mi Narayana Institute of Medical Sciences Pondicherry - 605 502. SriLai

HOD

OPESSOR & HOD



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennal - TN ]

<u>Circular</u>

07.06.2020

#### Sub: Organising Value-added Course: <u>PLASTER OF PARIS–SHORT HISTORY OF</u> <u>CASTING AND INJURED LIMB IMMOBILZATION</u>

With reference to the above mentioned subject, it is to bring to your notice that Sri Lakshmi Narayana Institute of Medical Sciences, **Bharath Institute of Higher Education and Research** is organizing <u>PLASTER OF PARIS–SHORT HISTORY OF CASTING AND INJURED LIMB</u> <u>IMMOBILZATION</u> 30 hrs & July2017– october 2017

The application must reach the institution along with all the necessary documents as mentioned. The hard copy of the application should be sent to the institution by registered/ speed post only so as to reach on or before <u>JULY 2017- OCT 2017</u>. Applications received after the mentioned date shall not be entertained under any circumstances.

Dean

DEAN Sri Lakshni Harayatsi Itathute di Medical Sciences Osudu, Agenern Kudapetsaan, Pest, Vitenur, Commune Pustuchany405 592.



Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011] [Affliated to Bharath University, Chennai - TN]

#### **COURSE PROPOSAL**

**Course Title: Plaster of Paris.** 

CourseObjective:to evaluate the skill of application of POP.

CourseOutcome:POP Application skill and when to use it.

**Course Audience: 20** 

**Course Coordinator:DR.Sugumaran** 

**Course Faculties with Qualification and Designation:** 

#### 1. DR.Vijayaragavan DNB ORTHO

**Course Curriculum/Topics with schedule (Min of 30 hours)** 

SlNo	Date	Торіс	Time	Hours
1	17.07.17	HISTORY OF INJURED	4:30 -	TWO
		LIMB IMMOBIOLIZATION	7:00pm	AND
				HALF
				HOURS
2	31.07.17	ORGINS OF PLASTER OF	4:30 -	TWO
		PARIS	7:00pm	AND
				HALF
				HOURS
3	04.08.17	APPLICATION OF PLASTER	4:30-	TWO
		OF PARIS	7:00pm	AND
				HALF
				HOURS
4	11.08.17	COMPLICATIONS	4:30-	TWO
		ASSOCIATED WITH	7:00pm	AND
		SPPLINTING AND CASTING		HALF
				HOURS



## Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011]

[Affliated to Bharath University, Chennai - TN ]

		PRACTICAL:		
1	17.08.17	Composistion/precautions of	4-7PM	3HRS
		рор		
2	20/7/27	Application of pop	4-7PM	3
3	24/7/17	Humerus	4-7PM	3
4	28/7/17	Elbow	4-7PM	3
5	7/8/17	Wrist/hand	4-7PM	3
6	14/8/17	Pelvis	4-6PM	2
7	21/8/17	Lower limb	4-7PM	3
			Total	30
			Hours	

#### **REFERENCE BOOKS: 1)CLOSED TREATMENT OF FRACTURES** JOHN **CHARNLEY** 2) WATSON AND JONES FRACTRE AND JOINT INJURIES **WILSON**



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennai - TN ]

#### VALUE ADDED COURSE

1. Name of the programme & Code

Plaster of Paris-Short History of Casting and Injured Limb Immobilization. - OR06

2. Duration & Period

30 hrs & July2017- october 2017

3. Information Brochure and Course Content of Value Added Courses

Enclosed as Annexure- I

4. List of students enrolled

Enclosed as Annexure- II

#### 5. Assessment procedures:

Multiple choice questions- Enclosed as Annexure- III

6. Certificate model

Enclosed as Annexure- IV

7. No. of times offered during the same year:

	Value Added Course- july-17 – oct 17					
Sl. No	Course Code	Course Name	<b>Resource Persons</b>	Target Students	Strength & Year	
1	OR06	Plaster of Paris–Short History of Casting and Injured Limb Immobilization	Dr. Vijayaragavan	THIRD YEAR MBBS	19 (July17 – oct 17)	

1 July 2017- october 2017

8. Year of discontinuation: 2018

#### 9. Summary report of each program year-wise

#### **10. Course Feed Back**

Enclosed as Annexure- V

#### **RESOURCE PERSON DR.VIJAYARAGHAVAN**

**COORDINATOR DR.A.SUGUMARAN** 

> Scil aksimi Barayatti İl Osuba, Ageram Ka Viterur Commune

LUNA RAGAVAN, ME.



Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011] [Affliated to Bharath University, Chennai - TN ]

#### PLASTER OF PARIS-SHORT HISTORY OF CASTING AND INJURED LIMB IMMOBILZATION

17/7/17



PARTICIPANT HAND BOOK



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502.

[Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennal - TN ]

Particulars	Description		
Course Title	Plaster of paris–short history of casting and injured limb immobilization.		
Course Code	OR06		
Objective	1. History of injured limb immobilization		
	2. Origins of plaster of paris		
	3. Application of plaster of paris		
	4. Complications associated with splinting and casting		
Further learning opportunities	Plaster of Paris & Injured limb immobilization		
Key Competencies	On successful completion of the course the students will have skill in handling and Plaster of Paris		
Target Student	Pre final yearStudents		
Duration	30hrsJuly 2017– october 2017		
Theory Session	10hrs		
Practical Session	20hrs		
Assessment Procedure	Short notes		

#### HISTORY OF INJURED LIMB IMMOBILIZATION

Immobilization of injured limbs has been performed for thousands of years. Before contemporary casting materials became widely used, people used a variety of materials to form rigid casts. Over the centuries immobilization has evolved from using simple wooden splints and rags to plaster of Paris, fibre and soft casts.

The earliest examples of the active management of fractures in humans were discovered at Naga-ed-Der in 1903 during the Hearst Egyptian Expedition of the University of California lead by Dr. GA Reisner]. In a paper published in the British Medical Journal in 1908, Mr. G. Elliot-Smith describes two sets of splints that were found during excavations of tombs from the fifth dynasty (2494-2345 BC) . One of the earliest descriptions of casting material was by Hippocrates in 350 BC. He wrote about wrapping injured limbs in bandages soaked in wax and resin . According to the earliest known surgical text *The Edwin Smith Papyrus* (copied circa 1600 BC), the Egyptians were using self setting bandages, probably derived from those used by the embalmers. Later descriptions of casting came from the Arab



OFFICE OF THE DEAN

#### Sri Lakshmi Narayana Institute of Medical Sciences

OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502. [ Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [ Affliated to Bharath University, Chennal - TN ]

physician Rhazes Athuriscus. El Zahrawi (960-1013 AD), a surgeon born near Córdoba in Spain, described the use of both clay gum mixtures and flour and egg white as casting materials . Starch based casts appear to have been the standard treatment with only minor changes until the beginning of the 19th century with only a few minor changes . Further advances in the choice of materials were made during the wars. In the 18<sup>th</sup> century, Henri François Le Dran, who practiced surgery at Hôpital de la Charité in Paris and was a surgeon in Germany Army and consulting surgeon to the camps and armies of King Louis XV, used to soak his bandages with egg white, vinegar and clay powder or plaster . A modification to the materials used was introduced by the father of modern military surgery, Baron Dominique Jean Larrey, a French surgeon in Napoleon's army. He was surgeon in chief from 1797 till the Battle of Waterloo in 1815 . Larrey's modification was adopted from Don Eugenio de la Penna who bandaged the fracture with linen that had first been moistened with Camphor spirit, egg whites and lead-acetate. Unfortunately these were not used on a large scale due to costs .

Baron Louis Joseph G Seutin (1793-1862) was a belgian professor and surgeon in chief at the Universite Libre de Bruxelles. As a chief doctor of the Belgian Army he fought in at Waterloo. He became famous for inventing starch bandages known as "La Bandage Immobile" or "L'Appareil Amidonnee" that consisted of strips of linen or bandages and carton splints, soaked in starch and wrapped around the limb . Seutin's method was popular in England by Joseph Samson Gamgee, the Birmingham surgeon who amongst other things invented Gamgee tissue. In the first half of the 19th century, it was not popular to reduce fractures until the swelling of the soft tissue decreased. Following Seutin's rules Gamgee insisted on immediate reduction and application of the starched apparatus, and registered spectacular success.

#### **ORIGINS OF PLASTER OF PARIS**

Plaster of Paris is produced by removing the impurities from the mined gypsum and then heating it under controlled conditions to reduce the amount of water of crystallization. Plaster of Paris was well known as a building material for many centuries before it was introduced as casting material. Egyptians as well as Romans used it for plastering walls however not more is known on plaster use after the end of Roman occupation. In modern day England, it was widely excavated in Roman coffins discovered in York, and on the walls in the military barracks of the Second Augustian Legion excavated at Caerleon in Monmouthshire. In mediaeval times gypsum was used only for alabaster statuary.There are various accounts describing the origin for the name plaster of Paris. One account mentions King Henry III who visited Paris in 1254 and was so impressed by fine white walls that he introduced similar plastering in England where it became known as plaster of Paris. The first use of plaster of Paris as a cast for injured limbs took place through a technique known as *plâtre coulé* that became popular in Europe at the beginning of 19th century. This technique involved pouring plaster of Paris around injured limbs encased in a



OFFICE OF THE DEAN

Sri Lakshmi Narayana Institute of Medical Sciences

OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502.

[Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennai - TN ]

wooden construct. Due to the weight of the construct, the patient was largely confined to bed during the period of fracture healing. This disadvantage was highlighted by Seutin, but this remained a relatively popular technique in Europe with some surgeons using it for lower limbs only and some using it for both upper and lower. Starched and albuminated bandages were also used as a casting method. In 1839, Lafargue of St. Emilion used fresh warm starch paste mixed with plaster of Paris powder applied to layers of linen strips. That dressing had the advantage of hardening much quicker, reducing setting time down to six hours. The Dutch military surgeon Anthonius Mathijsen while working at the military hospital in Haarlem discovered that bandages soaked in water and plaster of Paris were becoming hard within minutes providing sufficient casting for injured limbs. He published his monograph in 1852 in a medical magazine called *Repertorium*. His plaster bandage was based on the principles of Seutin, who 10 years earlier introduced starched bandages known as bandage amidonnee. In his paper entitled "New Method for Application of Plaster-of-Paris Bandage", Mathijsen highlighted many disadvantages of Seutin's dressings including lack of selfadjustment to the changing conditions of the limb, long duration of days needed for the casing to become sufficiently solid, carton splints shrinking and becoming shorter when they dried off adversely affecting fractures, and in cases of suppuration or with small children urinating, dressing becoming soft and loosen. Mathijsen's bandages consisted of strips of coarse cotton cloth with finely powdered plaster rubbed in. This method of preparation was used until 1950.

Nikolay Ivanovich Pirogov, a head of the department of surgery at the St Petersburg Medico-Surgical Academy and a Russian army surgeon during the Crimean War, conceived his idea to use plaster splints around 1852 while observing the work of a sculptor who used strips of linen soaked in liquid plaster to make models. Pirogov used coarse cloth, either in large pieces or in strips that were immersed in a liquid mixture of plaster of Paris immediately before applying them to limbs protected by stockings and cotton pads. Based on his Crimean experience, Pirogov believed that all patients with fractures due to missile wounds should not be evacuated from the forward dressing stations until the limb had been immobilized in a proper dressing of plaster of Paris. After the war he refined his method by cutting coarse sail cloth to a defined pattern shaped to fit a part of body and soaking it in plaster before application. Use of plaster of Paris bandages for fracture casts became widespread after Mathijsen's death and replaced most other forms of splintage. Early plaster bandages used at hospitals were made by nursing staff. They were usually freshly made from plaster powder kept in air tight containers that was applied on to the woven bandage or strips of cloths. Care was required while soaking dry bandage in water to prevent the plaster coming off the bandages and dissolving in water. In the early 1930's, the first commercially manufactured bandages were available in Germany. They were made by spreading plaster mixed with minute quantities of volatile liquids on soft cloth



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502.

[Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P -II) dt. 11/07/2011] [Affliated to Bharath University, Chennal - TN ]

#### **APPLICATION OF PLASTER OF PARIS**

Plaster of Paris (2CaSO4.H2O) is calcium sulphate with water. It is prepared by heating gypsum (CaSO4.2H2O) at120°C to allow partial dehydration. When mixed with water, it gives out heat and quickly sets to a hard porous masswithin 5 to 15 minutes. The first step is called the setting stage with a slight expansion in volume. The second stage is the hardening stage.Properties of plaster of Paris bandages have not greatly changed since their first use in the 19th century. Plaster is still widely popular, it is cheap, non-irritant and easy to apply. As quoted by AJ Steele in his article from 1893 on theuse of plaster of Paris in orthopaedics, "*The property of rapidly hardening when once wet, gives to plaster its value.Additionally it has merit in its cheapnesss and convenience; it is ever ready, is easily prepared, and simple in itsapplication*".

In 1906, Meisenbach published a 24 pages study on plaster of Paris bandages in the AmericanJournal of Orthopaedic Surgery. He outlined the four essential properties of plaster dressings to include strength, quick set, light weight and ventilation, summarizing that ideal plaster dressing should be thin and strong .Plaster can be used not only for treatment of fractured bones but also supports sprained ligaments, and inflamed andinfected soft tissues. It usually sets in few minutes, but needs between 36-72 hours to completely dry. Leg plasters are able to bear weight after 48 hours. Completely dry casts when tapped with knuckles will sound crisp and clear whereaswet casts emit a dull sound. Cast should only be dried by natural methods. No artificially generated heat isrecommended. Despite itsfrequent use, allergic reactions to plaster of Paris are extremely uncommon. There are only afew cases of allergic contact dermatitis from benzalkonium chloride described in the literature; benzalkoniumchloride has been used as an additive in certain brands of plaster of Paris since the 1970's in order to improve itsbinding properties .

When plaster of Paris dries off it becomes porous which helps to maintain patient's skin freefrom moisture. It is radiolucent which makes X-ray examination possible. The strength of the plaster cast is determinedby the quality of plaster, water to gypsum ratio, product age and storage conditions .The success of non-operative treatment of fractures relies on a clear understanding of fracture healing and the properuse of stabilizing techniques. Non-operative management of fractures has been declining in recent years due tosignificant advances in operative technology andgreater patient expectations of an early return to activity. Youngersurgeons are not as familiar with non-operative treatment of fractures with a plaster cast as their predecessors. This isdue to a lack of experience in application of plaster casts and the subsequent management. Plaster of Paris is unique and still remains the favoured casting material in many countries. It is cheap, non-toxic, and can easily be moulded to thedesired shapes and contours of the body. Skin irritation and allergy is extremely rare.Application of plaster of Paris requires good knowledge of anatomy and pathology that we are aiming to treat. It hasto be applied with a great care that is also need in its supervision afterwards. The perfect plaster dressing must retain thelimb under all



OFFICE OF THE DEAN

#### Sri Lakshmi Narayana Institute of Medical Sciences

OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST,

PUDUCHERRY - 605 502. [ Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [ Affliated to Bharath University, Chennal - TN ]

conditions in the desired position with complete comfort. It must be strong yet light, effective in use buteasily removed when no longer required . Prior to casting, any skin lesions or soft tissue injuries must be carefully noted. It is important to observe anddocument neurovascular status of the extremity, and this needs to be repeated following application of plaster. Patients with neuropathy or neurologic deficits are at greater risk for skin problems with abnormal sensation under the plaster. It is crucial that plaster bandages are rolled on to the limb and not pulled. Figure of eight turns, creases and ridges have tobe avoided. Rubbing and massaging plaster bandages during application helps to bond layers together creating strongerand lighter casts. Plaster bandages should be soaked in tepid or slightly warm water. Plaster sets quicker with warmwater compared with cold water. The faster the material sets the greater heat produces and the greater the risk of burns. Fast setting plasters have increased risk of thermal injury. There is a risk if casts are allowed to dry restingon pillow. Temperature elevations could be related to the plaster being dipped too briefly and the water being squeezedtoo aggressively out of the plaster. The water helps release heat, and if there is not enough, the plaster gets hotter.Lavalette and Ganaway proposed that pre-existing plaster residue in the water might also play a role in elevatingcast temperature by maintaining the peak temperature for a longer period, therefore water should be clean.Water temperature of 32 degrees Celcius can be high enough to cause burns. Moritz and Henriques showed that 6 hoursat 44 degrees Celcius can cause a third degree burn.

A fiberglass cast is a newer synthetic alternative to plaster of Paris. Fiberglass cast is a lightweight and extremely strong material. Fiberglass, also called glass-reinforced plastic (GRP) or glass fiber reinforced plastic (GFRP) is a fiber reinforced polymer made of a plastic matrix reinforced by fine glass. As compared to traditional plaster of Paris cast, it is light in weight and more durable. It is three times stronger and but is only one third in weight. Fiberglass cast is a lightweight and extremely strong material. Fiberglass cast is used for fracture management but is not applied in the acute settings because it is less accommodating to swelling and does not allow moulding.

#### COMPLICATIONS ASSOCIATED WITH SPLINTING AND CASTING

There are risks associated with plaster cast immobilization and patient has to be made aware of these. Patients withknown diabetes or sensory impairment due to spinal cord injury are those who need particular attention at the time of plaster application and later. Below we discuss some common complications.



Sri Lakshmi Darapana Institute of Medical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011] [Affliated to Bharath University, Chennal - TN]

#### **1. Deep Vein Thrombosis (DVT)**

Prolonged lower limb immobilization in plaster carries the risk of deep vein thrombosis (DVT) that the patient has to be made aware of. Two independent studies found that adults treated with a lower extremity cast for an average of 3 weeks had an incidence of DVT between 15% and 36%. Low molecular weight heparin did not significantly reduce the risk of developing DVT. Although these are more common in the lower limbs, these have also been described in upper limb immobilisation.

#### 2. Compartment Syndrome

One of the most serious complications to be considered is compartment syndrome. This is a condition in whichincreased pressure within a limited space compromises the circulation and function of the tissues within that space.Compartment syndrome may lead to fatal complications including major loss of limb function and even death and are more common in lower leg and forearm fractures.

#### 3. Soft Tissue Swelling

Soft tissue swelling associated with the fractured limb will usually subside within 48 hours from the injury leaving the cast loose. This may lead to displacement of well positioned or reduced fracture, and the reapplication of a new well-fitted cast may be needed. This is more likely to be an issue with unstable fractures. This is more noticeable in lower limb injuries where after education and elevation, swelling can reduce significantly. It is vital to ensure sufficient padding with swelling to prevent complications.

#### 4. Pressure Sores

Plaster pressure sores can occur as a result of poor plastering technique associated with inadequate skeletal protection or failure to trim the extremities of the cast correctly. Foreign bodies especially with young children can be easily misplaced in the cast and exert pressure on the skin that can lead to a break in the skin. Every patient should be warned about dangers



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennal - TN ]

of scratching beneath the cast with different sharp implements as this can cause infection. Cutting windows in plasters and leaving them unprotected may lead to oedema developing within the window area that will lead to soreness of the skin at the margins. Bivalving casts can be considered as an alternative to enable inspection.

#### 5. Venous Congestion

Swelling or blue discoloration of the extremities suggests impaired venous return due to tightness of the plaster. Theblue discoloration of venous congestion must be differentiated from bruising. There are a number of other complications that relate to long periods of immobilization and include joint stiffness, muscle atrophy, cartilage degradation, ligament weakening, and osteoporosis. Some risks can be minimized with correctcasting technique . It is important to make patients aware of what can potentially go wrong with a plaster cast. Our review article shows that plaster of Paris has stood the test of time and is still commonly used. Although therehave been developments with the use of the lighter, stronger and more durable synthetic fiberglass of Paris, plaster of Paris is still more widely used as it can be used in the acute setting and allows moulding. It is important to appreciate complications and how these can be avoided to ensure we continue to use it safely.



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennai - TN ]

#### VALUE ADDED COURSE

Annexure- II

Plaster of Paris-Short History of Casting and Injured Limb Immobilization **OR06** 

### 4. List of Students Enrolled July 2017- october - 2017

	1 <sup>st</sup> Year MBBS	Student	
SI. No	Name of the Student	Roll No	sign
1	BHALA KUMARAN .S	U15MB270	88
2	CHELLAMARIAPPAN, S	U15MB271	deal
3	CIBIBALAA, D	U15MB272	the lac
4	DEEPIKA DIVYA KUMARI, B	U15MB273	pro. P
5	DEEPIKA PRIYADHARSHINI. B	U15MB274	any
6	DEVANAND .M	U15MB275	Devanore
7	DEVANATHAN, R	U15MB276	derandren
8	DHANA PRIYA .P	U15MB277	Lierangeria
9	DHANALAKSHMI, M	U15MB278	- paujans
10	DHANUSH .R	U15MB279	Burne
11	DHANUSH KODALI	U15MB280	Fedarl
12	DHIVYA KUMARI .P	U15MB281	hunia
13	DIVYA.S	U15MB282	3 dura
14	DIVYA DHARSHINLN	U15MB283	darund
15	EVANGELINE PRETTY .G	U15MB284	AFP
16	EZHILARASI, R	U15MB285	RE
17	FATHIMA BANU. A	U15MB286	Festima
18	GAYATHRI.M	U15MB287	Ma
19	GOGUL SUGAN, K	U15MB288	sunt



## Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011]

[Affliated to Bharath University, Chennai - TN ]

	amenate A
ControlTh	vaicing Fieldback Form
Second Contract of Carlos	
Coarse: PLASTER OF PARES Doi: 21/017	
None DEEPISA PRIVADUARSIDNEE Reg NO.	•//
Department ORTHO	
Q h. Planation your overall paintmenter of	with the Permit of the course.
wyEmaileri h Vay Good a	Archeory & Landschemery
Q 2: Press and course man-	Solificary 2 and distribution
Q.5. The larger segurity was well place	
as Establish In Very Ood a	Sauricop 6 contributory
Q & The Indones wate clear and them in a	a hours of
a English A, Ray Dead a	saidatay d.amit(wike)
Q follows me de quâty of pro-course of	and a second sec
Timber h Vey Cost	c. Sanifakor) d. amatuskowy
Q is Any mine segmentants	
Committee	
	and the second se
	rists film survey, your presidents are much appreciated.
OPTIONAL Surviver Name	Thes



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennal - TN ]





Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011] [Affliated to Bharath University, Chennai - TN ]



## Sri Lakshmi Darayana Institute of Medical Sciences osudu, agaram village, villianur commune, kudapakkam post,

PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennai - TN ]

LIMI	BIMMOBILZ	TER OF PARIS-SE ATION	Contra Inc.	(100000002)	Conservation of the		
Subjec	t Code: OR06		14			1000	201 <u>0</u> - 1
Name	of Student:	Cibibal	2 · D	<u> </u>	Roll N	015	MB27
	We are popula	intly looking to impro	ve our clas	ses and c	feilver the t	est trainir	ng to you. Y
	tions, comments	s and suggestions will	neip un to i	mprover	Ser Person	diale.	

\* Rating: 5 - Outstanding: 4 - Excellent: 3 - Good: 2- Satisfactory: 1 - Nat-Satisfactory

a.

2

3

Course contents met with your

Lectures were clear and easy to

Teaching aids were effective

The level of the course

Overall rating of the course

Lecturer sequence was well planned

Instructors encourage interaction and

expectations

understand

were helpful

Suggestions if any:

2

3

4

5

6

7

8

Signature

5

4

Date: 21/8/17



OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME ( P -II ) dt. 11/07/2011 ] [Affliated to Bharath University, Chennal - TN ]

Date21.08.2017

From DR.Vijayaragavan Department of orthopaedics, SLIMS, Bharath Institute of Higher Education and Research, Pondicherry.

Through Proper Channel

To The Dean, SLIMS, Bharath Institute of Higher Education and Research, Pondicherry.


#### Sub: Completion of value-added course: Plaster of paris

Respected Sir,

With reference to the subject mentioned above, the department has conducted the value-added course titled: **Plaster of paris** on 21/8/.2017. We solicit your kind action to send certificates for the participants, that is attached with this letter. Also, I am attaching the photographs captured during the conduct of the course.

Kind Regards

DR..vijayaragavan



**Encl:** Certificates

**Photographs** 



# Sri Lakshmi Darapana Institute of Aledical Sciences OSUDU, AGARAM VILLAGE, VILLIANUR COMMUNE, KUDAPAKKAM POST, PUDUCHERRY - 605 502. [Recognised by Medical Council of India, Ministry of Health letter No. U/12012/249/2005-ME (P-II) dt. 11/07/2011]

[Affliated to Bharath University, Chennai - TN ]

